





SIZES AVAILABLE			
PRODUCT CODE	THICKNESS (mm)	HEIGHT (mm)	WEIGHT per meter (T)
P125-1220SW	125	1220	0.394
P125-1220SW	125	1220	0.394
P125-1000SW	125	1000	0.307
P125-1000SW	125	1000	0.328
P125-0610SW	125	610	0.197
P125-0610SW	125	610	0.197

The panels are designed to be used for cladding buildings and as a retaining wall suitable for silage, root crops, grain and earth retaining

POSSIBLE FIXING METHODS:



DO NOT SCALE DRAWING		REVISION	
		<b>CRAVEN CONCRETE LTD</b> Manufacture, Supply & Installation of Quality Concrete For Agriculture And Industry <a href="http://WWW.CRAVENCONCRETE.CO.UK">WWW.CRAVENCONCRETE.CO.UK</a>	
			
TITLE: PRESTRESSED CONCRETE PANELS (5")			
DWG NO. P125-1000SW		MATERIAL: CONCRETE	
ULTIMATE TENSILE STRENGTH OF STEEL: $f_{pk}=1860N/mm^2$		COMPRESSION STRENGTH: 50N/MM <sup>2</sup>	
TENSILE YIELD STRENGTH OF STEEL: $f_{p0.1k}=1637N/mm^2$		TOLERANCES: +/-5mm	
NAME	SIGNATURE	DATE	
DRAWN SAM KIRBY		14/02/18	A3 SCALE:1:50 SHEET 1 OF 1